Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: ORI - House 2A	CHAPTER 89
Address: 64-1510 Kamehameha Highway, Wahiawa, Hawaii 96786	Inspection Date: November 12, 2019 Annual

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-89-18 Records and reports. (e)(5) General rules regarding records: All records shall be complete and current and readily available for review by the department or any responsible placement agency. FINDINGS Resident #1 – Physician office visit on 9/20/19 was not documented in progress notes.	PART 1	
	Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
RULES (CRITERIA) §11-89-18 Records and reports. (e)(5) General rules regarding records: All records shall be complete and current and readily available for review by the department or any responsible placement agency. FINDINGS Resident #1 – Physician office visit on 9/20/19 was not documented in progress notes.	PLAN OF CORRECTION PART 2 FUTURE PLAN USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-89-18 Records and reports. (e)(5) General rules regarding records: All records shall be complete and current and readily available for review by the department or any responsible placement agency. FINDINGS Fire drill records not completed. "Time to evacuate" in the Fire drill records for June 2019 and July 2019 were left blank.	PART 1	
	Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-89-18 Records and reports. (e)(5) General rules regarding records: All records shall be complete and current and readily available for review by the department or any responsible placement agency. FINDINGS Fire drill records not completed. "Time to evacuate" in the Fire drill records for June 2019 and July 2019 were left blank.	PART 2 FUTURE PLAN USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	Date

Licensee's/Administrator's Signature: _
Print Name:
_
Date: